

Notice of Allowability

Application No.

10/826,351

Examiner

Huyen Le

Applicant(s)

SCHULKEN, TONI M.

Art Unit

3751

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the RCE filed on 01/19/2005.
2. ☒ The allowed claim(s) is/are 1-18.
3. ☒ The drawings filed on 19 April 2004 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 9/16/04 & 1/19/05
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Tim Kroboth on April 7, 2005.

The application has been amended as follows:

In claim 12 (renumbered claim),

Line 7, after "first", --a generally arched-- has been added.

Line 8, after "rim", --and a second generally arched thumb wrap-preventing rim-- has been added.

Line 8, after "that", "extends" has been deleted.

Line 8, after "that"--extend from a border of a raised ridge-- has been added.

Line 8, after "generally in", --opposite z-directions-- has been added.

Lines 8-9, after "generally in", --"a z-direction from a border of a raised ridge" has been deleted.

Line 9, before "and", --wherein said raised ridge comprises a proximal ridge end and a distal ridge end, -- has been inserted.

Lines 11-15, "axis", "and wherein said generally concave surface rises in the direction of the said thumb wrap preventing rim to form a lesser rim that extends

Art Unit: 3751

generally in said z-direction a shorter distance than said thumb wrap-preventing rim extends" has been deleted.

New claim 18 has been added:

--18. The grip of claim 12, wherein said generally concave surface rises in the direction of said first thumb wrap-preventing rim to form a lesser rim that extends generally in the same z-direction a shorter distance than said first thumb wrap-preventing rim extends.--

Reasons for allowance

2. The following is an examiner's statement of reasons for allowance: none of the prior art alone or in combination teaches a grip aid device for a writing instrument comprising a grip body having a bore for receiving the writing instrument; the bore defining an axis or an x-y-z coordinate system, a concave longitudinally extending surface located relatively near a distal end of the grip body, a relatively more elevated raised surface located relatively near a proximal end of the grip body, and a thumb wrap-preventing rim that extends generally in a z-direction from a border of a raised ridge, and the ridge border is relatively more elevated in a y-direction relative to the x-axis near the distal body-end than near the proximal-body end.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 3751

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Huyen Le whose telephone number is 571-272-4890.


The examiner can normally be reached on Monday-Friday from 9:00 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine Yu can be reached on 571-272-4835. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

HL

April 13, 2005



JUSTINE R. YU
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700

4/14/05